

Subject Index to Volume 8

A

Abdominal aortic aneurysm; *see* Aortic aneurysm

Adrenal glands

Heparin-related thrombocytopenia and adrenal hemorrhagic necrosis following aortic surgery (Leschi et al). 1994;8:506-508

Aged

Carotid endarterectomy in the octogenarian (Coyle et al). 1994;8:417-420

Amikacin

In vitro antistaphylococcal activity of collagen-sealed Dacron vascular prostheses bonded with rifampin, vancomycin, or amikacin (Magnan et al). 1994;8:243-247

Amputation

Acute treatment of penetrating popliteal artery trauma: The importance of soft tissue injury (Wagner et al). 1994;8:557-565

Wound healing in forefoot amputations: The predictive value of toe pressure (Vitti et al). 1994;8:99-106

Anastomosis, surgical

Composite vein bypass: A simple technique for venovenous anastomosis (Hoballah et al). 1994;8:400-402

Late complications after aortic surgery (Browning et al). 1994;8:232-237

Anatomy

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part I (Veith). 1994;8:514-522

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part II (Veith). 1994;8:599-603

Blood supply to the spinal cord: Anatomic and physiologic correlations (Brockstein et al). 1994;8:394-399

Aneurysm; *see also* Aortic aneurysm

Aneurysm of the gastroduodenal artery associated with stenosis of the superior mesenteric artery (Gouny et al). 1994;8:281-284

Iliac aneurysm in a child complicating umbilical artery catheterization (Lucas et al). 1994;8:500-505

Intra-arterial thrombolytic therapy in the initial management of thrombosed popliteal artery aneurysms (Garramone et al). 1994;8:363-366

Multiple aneurysms and aortic dissection: An unusual manifestation of Marfan's syndrome (de Virgilio et al). 1994;8:383-386

Popliteal artery aneurysms: The risk of nonoperative management (Lowell et al). 1994;8:14-23

Popliteal pseudoaneurysm as a complication of an adjacent osteochondroma (Lieberman et al). 1994;8:198-203

Postarteriographic femoral pseudoaneurysms: Treatment with ultrasound-guided compression (Moote et al). 1994;8:325-331

Primary aortocaval fistula in association with ruptured aneurysms (Kiskinis et al). 1994;8:496-499

Surgical treatment of extracranial internal carotid artery aneurysm (Moreau et al). 1994;8:409-416

Aneurysm, aortic; *see* Aortic aneurysm

Angiography

Carotid endarterectomy without arteriography: The preeminent role of the vascular laboratory (Horn et al). 1994;8:221-224

Carotid endarterectomy without arteriography (Chervu and Moore). 1994;8:296-302

Innovations in vascular imaging: Arteriography, three-dimensional CT scans, and two- and three-dimensional intravascular ultrasound evaluation of an abdominal aortic aneurysm (White et al). 1994;8:285-289

Postarteriographic femoral pseudoaneurysms: Treatment with ultrasound-guided compression (Moote et al). 1994;8:325-331

Stationary arterial wave phenomena (Long et al). 1994;8:195-197

Angioplasty, transluminal

Percutaneous transluminal angioplasty of tibial arteries for limb salvage in the high-risk diabetic patient (Durham et al). 1994;8:48-53

Angioscopy

Angioscopic evaluation of valvular disruption during in situ saphenous vein bypass (Parent et al). 1994;8:24-30

Role of angioscopy in reoperation for the failing or failed infrainguinal vein bypass graft (Hölzenbein et al). 1994;8:74-91

Aorta

Clostridial aortic graft infection (Holland et al). 1994;8:387-389

Dilation of woven and knitted aortic prosthetic grafts: CT scan evaluation (Alimi et al). 1994;8:238-242

Healing of aortic prosthetic grafts: A study by magnetic resonance imaging (Spartera et al). 1994;8:536-542

Heparin-related thrombocytopenia and adrenal hemorrhagic necrosis following aortic surgery (Leschi et al). 1994;8:506-508

Late complications after aortic surgery (Browning et al). 1994;8:232-237

Left retroperitoneal approach to the aorta and its branches: Part I (Sicard and Reilly). 1994;8:212-219

Multiple aneurysms and aortic dissection: An unusual manifestation of Marfan's syndrome (de Virgilio et al). 1994;8:383-386

Neuropeptide Y levels during ischemia and reperfusion in the canine infrarenal aortic revascularization model (Edwards et al). 1994;8:350-355

Pelvic ischemia following aortoiliac reconstruction (Paty et al). 1994;8:204-206

Primary aortoenteric fistula: Part I (Dossa et al). 1994;8:113-120

Primary aortoenteric fistula: Part II (Dossa et al). 1994;8:207-211

Right retroperitoneal approach to the aorta and its branches: Part II (Reilly and Sicard). 1994;8:318-323

Thrombogenicity of an elastomer-coated aortofemoral Dacron prosthetic graft in humans (Becquemin et al). 1994;8:443-451

Aorta, thoracic

Use of the descending thoracic aorta as an inflow source in aortoiliac reconstruction: Indications and long-term results (Criado and Keagy). 1994;8:38-47

Aortic aneurysm

Abdominal aortic aneurysm surgery: Survival and quality of life in patients requiring prolonged postoperative intensive therapy (Gefke et al). 1994;8:137-143

Acute aortic dissection into a preexisting abdominal aortic aneurysm (Jacobs et al). 1994;8:491-495

Aprotinin to decrease bleeding and intraoperative blood transfusion requirements during descending thoracic and thoracoabdominal aortic aneurysmectomy using cardiopulmonary bypass (Godet et al). 1994;8:452-456

Endoluminal aortic aneurysm repair using a balloon-expandable stent-graft device: A progress report (Parodi et al). 1994;8:523-529

Experimental study of determinants of aneurysmal expansion of the abdominal aorta (Anidjar et al). 1994;8:127-136

Hypothermia and bleeding during abdominal aortic aneurysm repair (Kahn et al). 1994;8:6-7

Innovations in vascular imaging: Arteriography, three-dimensional CT scans, and two- and three-dimensional intravascular ultrasound evaluation of an abdominal aortic aneurysm (White et al). 1994;8:285-289

Microproteinuria predicts the severity of systemic effects of reperfusion injury following infrarenal aortic aneurysm surgery (Smith et al). 1994;8:1-5

Morphology predicts rapid growth of small abdominal aortic aneurysms (Veldenz et al). 1994;8:10-13

A rare complication in elective repair of an abdominal aortic aneurysm: Multiple transmural colonic infarcts secondary to atheroemboli (Bayne et al). 1994;8:290-295

Symptomatic, nonruptured abdominal aortic aneurysms: Are emergent operations necessary? (Cambria et al). 1994;8:121-126

Aortic diseases

Acute aortic dissection into a preexisting abdominal aortic aneurysm (Jacobs et al). 1994;8:491-495

Acute dissection of the aorta in a kidney transplant patient (Tarantini and Tchekanov). 1994;8:485-490

Primary aortocaval fistula in association with ruptured aneurysms (Kiskinis et al). 1994;8:496-499

Use of endovascular stents for acute aortic dissection: An experimental study (Marty-Ané et al). 1994;8:434-442

Aprotinin

Aprotinin to decrease bleeding and intraoperative blood transfusion requirements during descending thoracic and thoracoabdominal aortic aneurysmectomy using cardiopulmonary bypass (Godet et al). 1994;8:452-456

Arm

Proximal venous outflow obstruction in patients with upper extremity arteriovenous dialysis access (Criado et al). 1994;8:530-535

Arterial occlusive diseases

Analysis and comparison of pressure gradients and ratios for predicting iliac stenosis (Archie). 1994;8:271-280

Aneurysm of the gastroduodenal artery associated with stenosis of the superior mesenteric artery (Gouny et al). 1994;8:281-284

Epidural spinal cord stimulation in the treatment of severe peripheral arterial occlusive disease (Horsch and Claeys). 1994;8:468-474

The piezoelectric pulse sensor device: A prospective evaluation (Hashemi et al). 1994;8:367-371

Thrombolysis in acute peripheral arterial occlusion: Predictors of immediate success (Shortell and Ouriel). 1994;8:59-65

Arterial waves

Stationary arterial wave phenomena (Long et al). 1994;8:195-197

Arteries, anatomy

Blood supply to the spinal cord: Anatomic and physiologic correlations (Brockstein et al). 1994;8:394-399

Arteries, injuries

Hemodynamic sequelae of combined arteriovenous injury in an experimental canine hindlimb model: Venous ligation vs. repair (Nazzari et al). 1994;8:166-171

Rural vascular trauma: A twenty-year review (Humphrey et al). 1994;8:179-185

Suppression of intimal hyperplasia in a rabbit model of arterial balloon injury by enalaprilat but no dimethyl sulfoxide (Law et al). 1994;8:158-165

Arteriography; see Angiography

Arteriovenous access ports; see Vascular access ports

Arteriovenous fistula

Subclavian vein repair in patients with an ipsilateral arteriovenous fistula (Gradman et al). 1994;8:549-556

Atheroembolism

An institutional experience with arterial atheroembolism (Baumann et al). 1994;8:258-265

A rare complication in elective repair of an abdominal aortic aneurysm: Multiple transmural colonic infarcts secondary to atheroemboli (Bayne et al). 1994;8:290-295

Atherosclerosis

Peripheral vascular involvement in heart transplant patients (Erdoes and Hunter) (Letter); (Julia et al) (Reply). 1994;8:611-612

Peripheral vascular involvement in heart transplant patients (Julia et al). 1994;8:266-270

Regression of atherosclerosis (Krupski). 1994;8:303-317

B

Balloon dilatation

Endoluminal aortic aneurysm repair using a balloon-expandable stent-graft device: A progress report (Parodi et al). 1994;8:523-529

Bandages

Intramuscular pressures beneath elastic and inelastic leggings (Murthy et al). 1994;8:543-548

Prospective, multicenter study of managing lower extremity venous ulcers (Arnold et al). 1994;8:356-362

Bleeding; see Hemorrhage

Blood flow velocity

Comparison of measurement of stump pressure and transcranial measurement of flow velocity in the middle cerebral artery in carotid surgery (Kalra et al). 1994;8:225-231

Blood pressure

- Analysis and comparison of pressure gradients and ratios for predicting iliac stenosis (Archie). 1994;8:271-280
Comparison of measurement of stump pressure and transcranial measurement of flow velocity in the middle cerebral artery in carotid surgery (Kalra et al). 1994;8:225-231
Wound healing in forefoot amputations: The predictive value of toe pressure (Vitti et al). 1994;8:99-106

Blood transfusion

- Aprotinin to decrease bleeding and intraoperative blood transfusion requirements during descending thoracic and thoracoabdominal aortic aneurysmectomy using cardiopulmonary bypass (Godet et al). 1994;8:452-456

Blood vessel prosthesis

- Dilation of woven and knitted aortic prosthetic grafts: CT scan evaluation (Alimi et al). 1994;8:238-242
Femoropopliteal bypass with either adequate ipsilateral reversed saphenous vein or obligatory polytetrafluoroethylene (Archie). 1994;8:475-484
Healing of aortic prosthetic grafts: A study by magnetic resonance imaging (Spartera et al). 1994;8:536-542
In vitro antistaphylococcal activity of collagen-sealed Dacron vascular prostheses bonded with rifampin, vancomycin, or amikacin (Magnan et al). 1994;8:243-247
Successful preservation of an infected common femoral vein to common femoral vein crossover prosthetic graft (Calligaro et al). 1994;8:380-382
Thrombogenicity of an elastomer-coated aortofemoral Dacron prosthetic graft in humans (Becquemin et al). 1994;8:443-451

Blood vessels, injuries

- Rural vascular trauma: A twenty-year review (Humphrey et al). 1994;8:179-185

Book reviews

- Alternative Bypass Conduits and Methods for Surgical Coronary Revascularization*, by Grooters and Nichida (Campbell). 1994;8:609
Anatomic Exposures in Vascular Surgery, by Wind and Valentine (Goldstone). 1994;8:220
Basic Data Underlying Clinical Decision Making in Vascular Surgery, edited by Porter and Taylor (Valentine). 1994;8:610
Cardiac Risk Assessment Before Vascular Surgery, edited by Kazmers (Cutler). 1994;8:610
Clinical Atlas of Transesophageal Echocardiography, by Goldman (London). 1994;8:324
Current Therapy for Acute Coronary Ischemia, edited by Lazar (Blebea). 1994;8:609

Buerger's disease; see Thromboangitis obliterans

C

Candida

- Acute lower limb ischemia complicating endocarditis due to *Candida parapsilosis* in a drug abuser (Lozano et al). 1994;8:591-594

Cardiopulmonary bypass

- Aprotinin to decrease bleeding and intraoperative blood transfusion requirements during descending thoracic and thoracoabdominal aortic aneurysmectomy using cardiopulmonary bypass (Godet et al). 1994;8:452-456

Carotid artery diseases

- Carotid surgery in the octogenarian (Favre et al). 1994;8:421-426
Surgical treatment of extracranial internal carotid artery aneurysm (Moreau et al). 1994;8:409-416

Carotid body tumor

- Carotid body tumor associated with hyperparathyroidism (Ali et al). 1994;8:595-598

Carotid endarterectomy; see Endarterectomy, carotid

Carotid stenosis

- Benefits of carotid patching: A prospective randomized study with long-term follow-up (De Letter et al). 1994;8:54-58
Carotid artery endarterectomy in patients with contralateral carotid artery occlusion: Perioperative hazards and late results (Deriu et al). 1994;8:337-342
Immediate and long-term results of carotid endarterectomy for asymptomatic high-grade stenosis (Riles et al). 1994;8:144-149

Catheterization

- Catheter-directed thrombolysis following vena cava filtration for severe deep venous thrombosis (Tarry et al). 1994;8:583-590
Iliac aneurysm in a child complicating umbilical artery catheterization (Lucas et al). 1994;8:500-505

Cerebral arteries

- Comparison of measurement of stump pressure and transcranial measurement of flow velocity in the middle cerebral artery in carotid surgery (Kalra et al). 1994;8:225-231

Cerebrovascular disorders

- Immediate and long-term results of carotid endarterectomy for asymptomatic high-grade stenosis (Riles et al). 1994;8:144-149
Outcome of carotid endarterectomy performed at a community medical center (Buchbinder et al). 1994;8:427-433

Child

- Iliac aneurysm in a child complicating umbilical artery catheterization (Lucas et al). 1994;8:500-505

Clostridium

- Clostridial aortic graft infection (Holland et al). 1994;8:387-389

Collagen

- Experimental study of determinants of aneurysmal expansion of the abdominal aorta (Anidjar et al). 1994;8:127-136
In vitro antistaphylococcal activity of collagen-sealed Dacron vascular prostheses bonded with rifampin, vancomycin, or amikacin (Magnan et al). 1994;8:243-247

Colonic diseases

- A rare complication in elective repair of an abdominal aortic aneurysm: Multiple transmural colonic infarcts secondary to atheroemboli (Bayne et al). 1994;8:290-295

Community medical centers

- Outcome of carotid endarterectomy performed at a community medical center (Buchbinder et al). 1994;8:427-433

Computed tomography; see Tomography, x-ray computed

Connective tissue diseases

- Raynaud's syndrome (Edwards). 1994;8:509-513

Coronary diseases

- Gender differences in interventional management of peripheral vascular disease: Evidence from a blood flow laboratory population (Feinglass et al). 1994;8:343-349

Correspondence

- Peripheral vascular involvement in heart transplant patients (Erdoes and Hunter) (Letter); (Julia et al) (Reply). 1994;8:611-612

Cortex, kidney; see Kidney cortex

D

Dacron; see Polyethylene terephthalate

Deep venous thrombosis; see Thrombophlebitis

Descending thoracic aorta; see Aorta, thoracic

Diabetes mellitus

- Percutaneous transluminal angioplasty of tibial arteries for limb salvage in the high-risk diabetic patient (Durham et al). 1994;8:48-53

Diabetic neuropathies

Ischemic monomelic neuropathy: An under-recognized complication of hemodialysis access (Hye and Wolf). 1994;8:578-582

Diagnosis, laboratory

Carotid endarterectomy without arteriography: The preeminent role of the vascular laboratory (Horn et al). 1994;8:221-224
Carotid endarterectomy without arteriography (Chervu and Moore). 1994;8:296-302

Dialysis

Ischemic monomelic neuropathy: An under-recognized complication of hemodialysis access (Hye and Wolf). 1994;8:578-582

Proximal venous outflow obstruction in patients with upper extremity arteriovenous dialysis access (Criado et al). 1994;8:530-535

Dimethyl sulfoxide

Suppression of intimal hyperplasia in a rabbit model of arterial balloon injury by enalaprilat but no dimethyl sulfoxide (Law et al). 1994;8:158-165

Dissection

Acute aortic dissection into a preexisting abdominal aortic aneurysm (Jacobs et al). 1994;8:491-495

Acute dissection of the aorta in a kidney transplant patient (Tarantini and Tchekhanov). 1994;8:485-490

Multiple aneurysms and aortic dissection: An unusual manifestation of Marfan's syndrome (de Virgilio et al). 1994;8:383-386

Use of endovascular stents for acute aortic dissection: An experimental study (Marty-Ané et al). 1994;8:434-442

Dorsalis pedis artery

Plantar or dorsalis pedis artery bypass in Buerger's disease (Sasajima et al). 1994;8:248-257

Drug abuse; see Substance abuse**E****Elastic leggings; see Bandages****Elastolysis**

Experimental study of determinants of aneurysmal expansion of the abdominal aorta (Anidjar et al). 1994;8:127-136

Electric stimulation

Epidural spinal cord stimulation in the treatment of severe peripheral arterial occlusive disease (Horsch and Claeys). 1994;8:468-474

Embolism

An institutional experience with arterial atheroembolism (Baumann et al). 1994;8:258-265

A rare complication in elective repair of an abdominal aortic aneurysm: Multiple transmural colonic infarcts secondary to atheroemboli (Bayne et al). 1994;8:290-295

Emergency medical services

Symptomatic, nonruptured abdominal aortic aneurysms: Are emergent operations necessary? (Cambria et al). 1994;8:121-126

Enalaprilat

Suppression of intimal hyperplasia in a rabbit model of arterial balloon injury by enalaprilat but no dimethyl sulfoxide (Law et al). 1994;8:158-165

Endarterectomy, carotid

Benefits of carotid patching: A prospective randomized study with long-term follow-up (De Letter et al). 1994;8:54-58

Carotid artery endarterectomy in patients with contralateral carotid artery occlusion: Perioperative hazards and late results (Deriu et al). 1994;8:337-342

Carotid endarterectomy in the octogenarian (Coyle et al). 1994;8:417-420

Carotid endarterectomy without arteriography: The preeminent role of the vascular laboratory (Horn et al). 1994;8:221-224

Carotid endarterectomy without arteriography (Chervu and Moore). 1994;8:296-302

Carotid surgery in the octogenarian (Favre et al). 1994;8:421-426

Comparison of measurement of stump pressure and transcranial measurement of flow velocity in the middle cerebral artery in carotid surgery (Kalra et al). 1994;8:225-231

Immediate and long-term results of carotid endarterectomy for asymptomatic high-grade stenosis (Riles et al). 1994;8:144-149

Intraoperative measurement of Javid shunt flow with transit-time ultrasound (Gordon et al). 1994;8:571-577

Outcome of carotid endarterectomy performed at a community medical center (Buchbinder et al). 1994;8:427-433

Randomized, multicenter trials of carotid endarterectomy (Moneta and Masser). 1994;8:403-408

Endocarditis, bacterial

Acute lower limb ischemia complicating endocarditis due to *Candida parapsilosis* in a drug abuser (Lozano et al). 1994;8:591-594

Endoluminal surgery

Endoluminal aortic aneurysm repair using a balloon-expandable stent-graft device: A progress report (Parodi et al). 1994;8:523-529

Endovascular stents; see Stents**End-stage renal disease; see Kidney failure, chronic****Epidural electric stimulation; see Electric stimulation****Esophageal fistula**

Primary aortoenteric fistula: Part II (Dossa et al). 1994;8:207-211

Extracranial internal carotid artery diseases; see Carotid artery diseases**F****Femoral artery**

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part I (Veith). 1994;8:514-522

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part II (Veith). 1994;8:599-603

Femoropopliteal bypass with either adequate ipsilateral reversed saphenous vein or obligatory polytetrafluoroethylene (Archie). 1994;8:475-484

Lateral approach to femoral bifurcation (Coggia et al). 1994;8:604-608

Postarteriographic femoral pseudoaneurysms: Treatment with ultrasound-guided compression (Moote et al). 1994;8:325-331

Thrombogenicity of an elastomer-coated aortofemoral Dacron prosthetic graft in humans (Becquemin et al). 1994;8:443-451

Femoral vein

Femoral venous reflux abolished by greater saphenous vein stripping (Walsh et al). 1994;8:566-570

Successful preservation of an infected common femoral vein to common femoral vein crossover prosthetic graft (Calligaro et al). 1994;8:380-382

Fistula

Primary aortocaval fistula in association with ruptured aneurysms (Kiskinis et al). 1994;8:496-499

Primary aortoenteric fistula: Part I (Dossa et al). 1994;8:113-120

Primary aortoenteric fistula: Part II (Dossa et al). 1994;8:207-211

Subclavian vein repair in patients with an ipsilateral arteriovenous fistula (Gradman et al). 1994;8:549-556

Flaps; see Surgical flaps

Flow velocity; see Blood flow velocity

Foot

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part I (Veith). 1994;8:514-522

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part II (Veith). 1994;8:599-603

Plantar or dorsalis pedis artery bypass in Buerger's disease (Sasajima et al). 1994;8:248-257

Wound healing in forefoot amputations: The predictive value of toe pressure (Vitti et al). 1994;8:99-106

G

Gastroduodenal artery

Aneurysm of the gastroduodenal artery associated with stenosis of the superior mesenteric artery (Gouny et al). 1994;8:281-284

Gender factors

Gender differences in interventional management of peripheral vascular disease: Evidence from a blood flow laboratory population (Feinglass et al). 1994;8:343-349

Graft occlusion, vascular

Does arterial inflow failure cause distal vein graft thrombosis? A prospective analysis of 450 infrainguinal vascular reconstructions (Taylor et al). 1994;8:92-98

Graft rejection

Clostridial aortic graft infection (Holland et al). 1994;8:387-389
Value of continued efforts at limb salvage despite multiple graft failures (George et al). 1994;8:332-336

Graft survival

Influence of perioperative storage solutions on long-term vein graft function and morphology (Davies and Hagen). 1994;8:150-157

Successful preservation of an infected common femoral vein to common femoral vein crossover prosthetic graft (Calligaro et al). 1994;8:380-382

H

Healing; see Wound healing

Heart transplantation

Peripheral vascular involvement in heart transplant patients (Erdoes and Hunter) (Letter); (Julia et al) (Reply). 1994;8:611-612

Peripheral vascular involvement in heart transplant patients (Julia et al). 1994;8:266-270

Hemodialysis

Ischemic monomelic neuropathy: An under-recognized complication of hemodialysis access (Hye and Wolf). 1994;8:578-582

Hemodynamics

Hemodynamic sequelae of combined arteriovenous injury in an experimental canine hindlimb model: Venous ligation vs. repair (Nazzari et al). 1994;8:166-171

Hemorrhage

Aprotinin to decrease bleeding and intraoperative blood transfusion requirements during descending thoracic and thoracoabdominal aortic aneurysmectomy using cardiopulmonary bypass (Godet et al). 1994;8:452-456

Hypothermia and bleeding during abdominal aortic aneurysm repair (Kahn et al). 1994;8:6-9

Heparin

Heparin-related thrombocytopenia and adrenal hemorrhagic necrosis following aortic surgery (Leschi et al). 1994;8:506-508

Hydrocolloids

Prospective, multicenter study of managing lower extremity venous ulcers (Arnold et al). 1994;8:356-362

Hyperparathyroidism

Carotid body tumor associated with hyperparathyroidism (Ali et al). 1994;8:595-598

Hypertension

Suppression of intimal hyperplasia in a rabbit model of arterial balloon injury by enalaprilat but no dimethyl sulfoxide (Law et al). 1994;8:158-165

Hypertension

Experimental study of determinants of aneurysmal expansion of the abdominal aorta (Anidjar et al). 1994;8:127-136

Hypothermia

Hypothermia and bleeding during abdominal aortic aneurysm repair (Kahn et al). 1994;8:6-9

I

Iliac artery

Analysis and comparison of pressure gradients and ratios for predicting iliac stenosis (Archie). 1994;8:271-280

Iliac aneurysm in a child complicating umbilical artery catheterization (Lucas et al). 1994;8:500-505

Pelvic ischemia following aortoiliac reconstruction (Paty et al). 1994;8:204-206

Use of the descending thoracic aorta as an inflow source in aortoiliac reconstruction: Indications and long-term results (Criado and Keagy). 1994;8:38-47

Incisions

Lateral approach to femoral bifurcation (Coggia et al). 1994;8:604-608

Inelastic leggings; see Bandages

Infarction

A rare complication in elective repair of an abdominal aortic aneurysm: Multiple transmural colonic infarcts secondary to atheroemboli (Bayne et al). 1994;8:290-295

Infection

Clostridial aortic graft infection (Holland et al). 1994;8:387-389

Comparison of muscle flaps and delayed secondary intention wound healing for infected lower extremity arterial grafts (Calligaro et al). 1994;8:31-37

Successful preservation of an infected common femoral vein to common femoral vein crossover prosthetic graft (Calligaro et al). 1994;8:380-382

Inflammation

Experimental study of determinants of aneurysmal expansion of the abdominal aorta (Anidjar et al). 1994;8:127-136

Infrainguinal vein

Does arterial inflow failure cause distal vein graft thrombosis? A prospective analysis of 450 infrainguinal vascular reconstructions (Taylor et al). 1994;8:92-98

Infrainguinal revascularization in end-stage renal disease (Lumsden et al). 1994;8:107-112

Role of angiography in reoperation for the failing or failed infrainguinal vein bypass graft (Hölzenbein et al). 1994;8:74-91

Infrapopliteal artery

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part I (Veith). 1994;8:514-522

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part II (Veith). 1994;8:599-603

Infrarenal aortic aneurysm; see Aortic aneurysm**Infusions, intra-arterial**

Continuous postoperative intra-arterial urokinase infusion in the treatment of no reflow following revascularization of the acutely ischemic limb (Law et al). 1994;8:66-73

Infusion methods for determination of peripheral resistance: Influence of infused medium and back pressure (Wahlberg et al). 1994;8:172-178

Internal carotid artery diseases; see Carotid artery diseases**Intestine, small**

Primary aortoenteric fistula: Part I (Dossa et al). 1994;8:113-120

Primary aortoenteric fistula: Part II (Dossa et al). 1994;8:207-211

Intimal hyperplasia; see Hyperplasia**Intra-arterial infusions; see Infusions, intra-arterial****Intramuscular pressure**

Intramuscular pressures beneath elastic and inelastic leggings (Murthy et al). 1994;8:543-548

Intravascular ultrasonography; see Ultrasonography**Iron chelates**

Preservation of cortical microcirculation after kidney ischemia-reperfusion: Value of an iron chelator (Defraigne et al). 1994;8:457-467

Ischemia

Acute lower limb ischemia complicating endocarditis due to *Candida parapsilosis* in a drug abuser (Lozano et al). 1994;8:591-594

Continuous postoperative intra-arterial urokinase infusion in the treatment of no reflow following revascularization of the acutely ischemic limb (Law et al). 1994;8:66-73

Ischemic monomelic neuropathy: An under-recognized complication of hemodialysis access (Hye and Wolf). 1994;8:578-582

Neuropeptide Y levels during ischemia and reperfusion in the canine infrarenal aortic revascularization model (Edwards et al). 1994;8:350-355

Pelvic ischemia following aortoiliac reconstruction (Paty et al). 1994;8:204-206

Preservation of cortical microcirculation after kidney ischemia-reperfusion: Value of an iron chelator (Defraigne et al). 1994;8:457-467

Value of continued efforts at limb salvage despite multiple graft failures (George et al). 1994;8:332-336

J**Javid shunt flow; see Shunt flow****Jugular veins**

Jugular venous bypass for subclavian vein obstruction (Bell et al). 1994;8:390-393

K**Kidney cortex**

Preservation of cortical microcirculation after kidney ischemia-reperfusion: Value of an iron chelator (Defraigne et al). 1994;8:457-467

Kidney failure, chronic

Infringuinal revascularization in end-stage renal disease (Lumsden et al). 1994;8:107-112

Kidney transplantation

Acute dissection of the aorta in a kidney transplant patient (Tarantini and Tchekanov). 1994;8:485-490

L**Laboratory diagnosis; see Diagnosis, laboratory****Leg**

Acute lower limb ischemia complicating endocarditis due to *Candida parapsilosis* in a drug abuser (Lozano et al). 1994;8:591-594

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part I (Veith). 1994;8:514-522

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part II (Veith). 1994;8:599-603

Changing practice patterns in peripheral arterial disease (Bernstein et al). 1994;8:186-194

Comparison of muscle flaps and delayed secondary intention wound healing for infected lower extremity arterial grafts (Calligaro et al). 1994;8:31-37

Continuous postoperative intra-arterial urokinase infusion in the treatment of no reflow following revascularization of the acutely ischemic limb (Law et al). 1994;8:66-73

Intramuscular pressures beneath elastic and inelastic leggings (Murthy et al). 1994;8:543-548

Percutaneous transluminal angioplasty of tibial arteries for limb salvage in the high-risk diabetic patient (Durham et al). 1994;8:48-53

Stationary arterial wave phenomena (Long et al). 1994;8:195-197

Leg ulcer

Prospective, multicenter study of managing lower extremity venous ulcers (Arnold et al). 1994;8:356-362

Leggings; see Bandages**Letters**

Peripheral vascular involvement in heart transplant patients (Erdoes and Hunter) (Letter); (Julia et al) (Reply). 1994;8:611-612

Ligation

Hemodynamic sequelae of combined arteriovenous injury in an experimental canine hindlimb model: Venous ligation vs. repair (Nazzari et al). 1994;8:166-171

Limb salvage

Value of continued efforts at limb salvage despite multiple graft failures (George et al). 1994;8:332-336

Lower extremity; see Leg**M****Magnetic resonance imaging**

Healing of aortic prosthetic grafts: A study by magnetic resonance imaging (Spartera et al). 1994;8:536-542

Marfan syndrome

Multiple aneurysms and aortic dissection: An unusual manifestation of Marfan's syndrome (de Virgilio et al). 1994;8:383-386

Mesenteric artery

Aneurysm of the gastroduodenal artery associated with stenosis of the superior mesenteric artery (Gouny et al). 1994;8:281-284

Microcirculation

Preservation of cortical microcirculation after kidney ischemia-reperfusion: Value of an iron chelator (Defraigne et al). 1994;8:457-467

Microproteinuria; see Proteinuria**Middle cerebral artery; see Cerebral arteries**

Morbidity

Symptomatic, nonruptured abdominal aortic aneurysms: Are emergent operations necessary? (Cambria et al). 1994;8:121-126

Mortality

Abdominal aortic aneurysm surgery: Survival and quality of life in patients requiring prolonged postoperative intensive therapy (Gefke et al). 1994;8:137-143

Symptomatic, nonruptured abdominal aortic aneurysms: Are emergent operations necessary? (Cambria et al). 1994;8:121-126

Muscles, transplantation

Comparison of muscle flaps and delayed secondary intention wound healing for infected lower extremity arterial grafts (Calligaro et al). 1994;8:31-37

N

Necrosis

Heparin-related thrombocytopenia and adrenal hemorrhagic necrosis following aortic surgery (Leschi et al). 1994;8:506-508

Neuropeptide Y

Neuropeptide Y levels during ischemia and reperfusion in the canine infrarenal aortic revascularization model (Edwards et al). 1994;8:350-355

No-reflow phenomenon

Continuous postoperative intra-arterial urokinase infusion in the treatment of no reflow following revascularization of the acutely ischemic limb (Law et al). 1994;8:66-73

O

Osteogenarian; *see* Aged

Osteochondroma

Popliteal pseudoaneurysm as a complication of an adjacent osteochondroma (Lieberman et al). 1994;8:198-203

P

Pelvis

Pelvic ischemia following aortoiliac reconstruction (Paty et al). 1994;8:204-206

Percutaneous transluminal angioplasty; *see* Angioplasty, transluminal

Peripheral arterial occlusive diseases; *see* Arterial occlusive diseases

Peripheral resistance; *see* Vascular resistance

Peripheral vascular diseases

Changing practice patterns in peripheral arterial disease (Bernstein et al). 1994;8:186-194

Gender differences in interventional management of peripheral vascular disease: Evidence from a blood flow laboratory population (Feinglass et al). 1994;8:343-349

Peripheral vascular involvement in heart transplant patients (Erdoes and Hunter) (Letter); (Julia et al) (Reply). 1994;8:611-612

Peripheral vascular involvement in heart transplant patients (Julia et al). 1994;8:266-270

Peripheral Vascular Surgery Society

Papers from the Peripheral Vascular Surgery Society. 1994;8:1-112

Piezoelectric pulse sensor device

The piezoelectric pulse sensor device: A prospective evaluation (Hashemi et al). 1994;8:367-371

Plantar artery

Plantar or dorsalis pedis artery bypass in Buerger's disease (Sasajima et al). 1994;8:248-257

Polyethylene terephthalate

In vitro antistaphylococcal activity of collagen-sealed Dacron vascular prostheses bonded with rifampin, vancomycin, or amikacin (Magnan et al). 1994;8:243-247

Thrombogenicity of an elastomer-coated aortofemoral Dacron prosthetic graft in humans (Becquemin et al). 1994;8:443-451

Polytetrafluoroethylene

Femoropopliteal bypass with either adequate ipsilateral reversed saphenous vein or obligatory polytetrafluoroethylene (Archie). 1994;8:475-484

Popliteal artery

Acute treatment of penetrating popliteal artery trauma: The importance of soft tissue injury (Wagner et al). 1994;8:557-565

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part I (Veith). 1994;8:514-522

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part II (Veith). 1994;8:599-603

Femoropopliteal bypass with either adequate ipsilateral reversed saphenous vein or obligatory polytetrafluoroethylene (Archie). 1994;8:475-484

Intra-arterial thrombolytic therapy in the initial management of thrombosed popliteal artery aneurysms (Garrazone et al). 1994;8:363-366

Popliteal artery aneurysms: The risk of nonoperative management (Lowell et al). 1994;8:14-23

Popliteal pseudoaneurysm as a complication of an adjacent osteochondroma (Lieberman et al). 1994;8:198-203

Postoperative care

Abdominal aortic aneurysm surgery: Survival and quality of life in patients requiring prolonged postoperative intensive therapy (Gefke et al). 1994;8:137-143

Postoperative complications

Late complications after aortic surgery (Browning et al). 1994;8:232-237

Pressure gradients; *see* Blood pressure

Prosthesis failure

Dilation of woven and knitted aortic prosthetic grafts: CT scan evaluation (Alimi et al). 1994;8:238-242

Proteinuria

Microproteinuria predicts the severity of systemic effects of reperfusion injury following infrarenal aortic aneurysm surgery (Smith et al). 1994;8:1-5

Pseudoaneurysm; *see* Aneurysm

Q

Quality of life

Abdominal aortic aneurysm surgery: Survival and quality of life in patients requiring prolonged postoperative intensive therapy (Gefke et al). 1994;8:137-143

R

Radiology

Changing practice patterns in peripheral arterial disease (Bernstein et al). 1994;8:186-194

Raynaud's disease

Raynaud's syndrome (Edwards). 1994;8:509-513

Reflex sympathetic dystrophy

Sympathectomy for reflex sympathetic dystrophy: Factors affecting outcome (AbuRahma et al). 1994;8:372-379

Reoperation

Role of angiography in reoperation for the failing or failed infrainguinal vein bypass graft (Hölzenbein et al). 1994;8:74-91

Reperfusion

Neuropeptide Y levels during ischemia and reperfusion in the canine infrarenal aortic revascularization model (Edwards et al). 1994;8:350-355

Preservation of cortical microcirculation after kidney ischemia-reperfusion: Value of an iron chelator (Defraigne et al). 1994;8:457-467

Reperfusion injury

Microproteinuria predicts the severity of systemic effects of reperfusion injury following infrarenal aortic aneurysm surgery (Smith et al). 1994;8:1-5

Retroperitoneal space

Left retroperitoneal approach to the aorta and its branches: Part I (Sicard and Reilly). 1994;8:212-219

Right retroperitoneal approach to the aorta and its branches: Part II (Reilly and Sicard). 1994;8:318-323

Revascularization

Continuous postoperative intra-arterial urokinase infusion in the treatment of no reflow following revascularization of the acutely ischemic limb (Law et al). 1994;8:66-73

Infrainguinal revascularization in end-stage renal disease (Lumsden et al). 1994;8:107-112

Neuropeptide Y levels during ischemia and reperfusion in the canine infrarenal aortic revascularization model (Edwards et al). 1994;8:350-355

Value of continued efforts at limb salvage despite multiple graft failures (George et al). 1994;8:332-336

Rifampin

In vitro antistaphylococcal activity of collagen-sealed Dacron vascular prostheses bonded with rifampin, vancomycin, or amikacin (Magnan et al). 1994;8:243-247

Rural health

Rural vascular trauma: A twenty-year review (Humphrey et al). 1994;8:179-185

S**Saphenous vein**

Angioscopic evaluation of valvular disruption during in situ saphenous vein bypass (Parent et al). 1994;8:24-30

Benefits of carotid patching: A prospective randomized study with long-term follow-up (De Letter et al). 1994;8:54-58

Femoral venous reflux abolished by greater saphenous vein stripping (Walsh et al). 1994;8:566-570

Femoropopliteal bypass with either adequate ipsilateral reversed saphenous vein or obligatory polytetrafluoroethylene (Archie). 1994;8:475-484

Scleroderma

Raynaud's syndrome (Edwards). 1994;8:509-513

Shunt flow

Intraoperative measurement of Javid shunt flow with transit-time ultrasound (Gordon et al). 1994;8:571-577

Silicone elastomers

Thrombogenicity of an elastomer-coated aortofemoral Dacron prosthetic graft in humans (Becquemin et al). 1994;8:443-451

Small intestine; see Intestine, small**Southern California Vascular Surgical Society**

Papers presented at the Southern California Vascular Surgical Society. 1994;8:543-582

Spinal cord

Blood supply to the spinal cord: Anatomic and physiologic correlations (Brockstein et al). 1994;8:394-399

Epidural spinal cord stimulation in the treatment of severe peripheral arterial occlusive disease (Horsch and Claeys). 1994;8:468-474

Staphylococcus

In vitro antistaphylococcal activity of collagen-sealed Dacron vascular prostheses bonded with rifampin, vancomycin, or amikacin (Magnan et al). 1994;8:243-247

Stationary arterial waves

Stationary arterial wave phenomena (Long et al). 1994;8:195-197

Stents

Endoluminal aortic aneurysm repair using a balloon-expandable stent-graft device: A progress report (Parodi et al). 1994;8:523-529

Use of endovascular stents for acute aortic dissection: An experimental study (Marty-Ané et al). 1994;8:434-442

Storage solutions; see Tissue preservation**Stroke; see Cerebrovascular disorders****Stump pressure; see Blood pressure****Subclavian vein**

Jugular venous bypass for subclavian vein obstruction (Bell et al). 1994;8:390-393

Proximal venous outflow obstruction in patients with upper extremity arteriovenous dialysis access (Criado et al). 1994;8:530-535

Subclavian vein repair in patients with an ipsilateral arteriovenous fistula (Gradman et al). 1994;8:549-556

Substance abuse

Acute lower limb ischemia complicating endocarditis due to *Candida parapsilosis* in a drug abuser (Lozano et al). 1994;8:591-594

Superior mesenteric artery; see Mesenteric artery**Surgical approaches**

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part I (Veith). 1994;8:514-522

Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part II (Veith). 1994;8:599-603

Lateral approach to femoral bifurcation (Coggia et al). 1994;8:604-608

Surgical flaps

Comparison of muscle flaps and delayed secondary intention wound healing for infected lower extremity arterial grafts (Calligaro et al). 1994;8:31-37

Survival; see Mortality**Sympathectomy**

Sympathectomy for reflex sympathetic dystrophy: Factors affecting outcome (AbuRahma et al). 1994;8:372-379

T**Thoracic aorta; see Aorta, thoracic****Thoracic aortic aneurysm; see Aortic aneurysm****Thoracoabdominal aortic aneurysm; see Aortic aneurysm****Three-dimensional computed tomography; see Tomography, x-ray computed****Three-dimensional ultrasonography; see Ultrasonography****Thromboangiitis obliterans**

Plantar or dorsalis pedis artery bypass in Buerger's disease (Sasajima et al). 1994;8:248-257

Thrombocytopenia

Heparin-related thrombocytopenia and adrenal hemorrhagic necrosis following aortic surgery (Leschi et al). 1994;8:506-508

Thrombolytic therapy

Catheter-directed thrombolysis following vena cava filtration for severe deep venous thrombosis (Tarry et al). 1994;8:583-590

Intra-arterial thrombolytic therapy in the initial management of thrombosed popliteal artery aneurysms (Garramone et al). 1994;8:363-366

Thrombolysis in acute peripheral arterial occlusion: Predictors of immediate success (Shortell and Ouriel). 1994;8:59-65

Thrombophlebitis

Catheter-directed thrombolysis following vena cava filtration for severe deep venous thrombosis (Tarry et al). 1994;8:583-590

Does arterial inflow failure cause distal vein graft thrombosis? A prospective analysis of 450 infrainguinal vascular reconstructions (Taylor et al). 1994;8:92-98

Thrombosis

Thrombogenicity of an elastomer-coated aortofemoral Dacron prosthetic graft in humans (Bequemini et al). 1994;8:443-451

Tibial arteries

Percutaneous transluminal angioplasty of tibial arteries for limb salvage in the high-risk diabetic patient (Durham et al). 1994;8:48-53

Tissue preservation

Influence of perioperative storage solutions on long-term vein graft function and morphology (Davies and Hagen). 1994;8:150-157

Toes

Wound healing in forefoot amputations: The predictive value of toe pressure (Vitti et al). 1994;8:99-106

Tomography, x-ray computed

Dilation of woven and knitted aortic prosthetic grafts: CT scan evaluation (Alimi et al). 1994;8:238-242

Innovations in vascular imaging: Arteriography, three-dimensional CT scans, and two- and three-dimensional intravascular ultrasound evaluation of an abdominal aortic aneurysm (White et al). 1994;8:285-289

Morphology predicts rapid growth of small abdominal aortic aneurysms (Veldenz et al). 1994;8:10-13

Transcranial ultrasonography; see Ultrasonography

Trauma; see Wounds and injuries

Two-dimensional ultrasonography; see Ultrasonography

U

Ulcer

Prospective, multicenter study of managing lower extremity venous ulcers (Arnold et al). 1994;8:356-362

Ultrasonography

Comparison of measurement of stump pressure and transcranial measurement of flow velocity in the middle cerebral artery in carotid surgery (Kalra et al). 1994;8:225-231

Innovations in vascular imaging: Arteriography, three-dimensional CT scans, and two- and three-dimensional intravascular ultrasound evaluation of an abdominal aortic aneurysm (White et al). 1994;8:285-289

Intraoperative measurement of Javid shunt flow with transit-time ultrasound (Gordon et al). 1994;8:571-577

Postarteriographic femoral pseudoaneurysms: Treatment with ultrasound-guided compression (Moote et al). 1994;8:325-331

Umbilical arteries

Iliac aneurysm in a child complicating umbilical artery catheterization (Lucas et al). 1994;8:500-505

Upper extremity; see Arm

Urokinase

Continuous postoperative intra-arterial urokinase infusion in the treatment of no reflow following revascularization of the acutely ischemic limb (Law et al). 1994;8:66-73

V

Valvulotomy

Angioscopic evaluation of valvular disruption during in situ saphenous vein bypass (Parent et al). 1994;8:24-30

Vancomycin

In vitro antistaphylococcal activity of collagen-sealed Dacron vascular prostheses bonded with rifampin, vancomycin, or amikacin (Magnan et al). 1994;8:243-247

Vascular access ports

Ischemic monomelic neuropathy: An under-recognized complication of hemodialysis access (Hye and Wolf). 1994;8:578-582

Proximal venous outflow obstruction in patients with upper extremity arteriovenous dialysis access (Criado et al). 1994;8:530-535

Vascular prosthesis; see Blood vessel prosthesis

Vascular resistance

Infusion methods for determination of peripheral resistance: Influence of infused medium and back pressure (Wahlberg et al). 1994;8:172-178

Vascular trauma; see Blood vessels, injuries

Veins, anatomy

Blood supply to the spinal cord: Anatomic and physiologic correlations (Brockstein et al). 1994;8:394-399

Veins, injuries

Hemodynamic sequelae of combined arteriovenous injury in an experimental canine hindlimb model: Venous ligation vs. repair (Nazzari et al). 1994;8:166-171

Rural vascular trauma: A twenty-year review (Humphrey et al). 1994;8:179-185

Veins, pathology

Proximal venous outflow obstruction in patients with upper extremity arteriovenous dialysis access (Criado et al). 1994;8:530-535

Veins, transplantation

Composite vein bypass: A simple technique for venovenous anastomosis (Hoballah et al). 1994;8:400-402

Influence of perioperative storage solutions on long-term vein graft function and morphology (Davies and Hagen). 1994;8:150-157

Vena cava, inferior

Catheter-directed thrombolysis following vena cava filtration for severe deep venous thrombosis (Tarry et al). 1994;8:583-590

Primary aortocaval fistula in association with ruptured aneurysms (Kiskinis et al). 1994;8:496-499

Venous insufficiency

Femoral venous reflux abolished by greater saphenous vein stripping (Walsh et al). 1994;8:566-570

Intramuscular pressures beneath elastic and inelastic leggings (Murthy et al). 1994;8:543-548

Venous thrombosis; see Thrombophlebitis

Venous ulcer; see Ulcer

Venovenous anastomosis; see Anastomosis, surgical

W

Wound healing

Comparison of muscle flaps and delayed secondary intention wound healing for infected lower extremity arterial grafts (Calligaro et al). 1994;8:31-37

Healing of aortic prosthetic grafts: A study by magnetic resonance imaging (Spartera et al). 1994;8:536-542

Wound healing in forefoot amputations: The predictive value of toe pressure (Vitti et al). 1994;8:99-106

Wound infection

Comparison of muscle flaps and delayed secondary intention wound healing for infected lower extremity arterial grafts (Calligaro et al). 1994;8:31-37

Wounds and injuries

Acute treatment of penetrating popliteal artery trauma: The importance of soft tissue injury (Wagner et al). 1994;8:557-565

Author Index to Volume 8

A

- AbuRahma AF, Robinson PA, Powell M, Bastug D, Boland JP. Sympathectomy for reflex sympathetic dystrophy: Factors affecting outcome. 1994;8:372-379
 Ackerstaf RGA (see De Letter et al). 1994;8:54-58
 Adrian TE (see Edwards et al). 1994;8:350-355
 Agerskov K (see Gefke et al). 1994;8:137-143
 Agrawal DK (see Edwards et al). 1994;8:350-355
 Ahn SS (see Law et al). 1994;8:66-73
 Alauzen M (see Marty-Ané et al). 1994;8:434-442
 Albat B (see Moreau et al). 1994;8:409-416
 Algra A (see De Letter et al). 1994;8:54-58
 Ali IM, Graham C, Sanalla B, Bell D. Carotid body tumor associated with hyperparathyroidism. 1994;8:595-598
 Alimi Y, Juhan C, Morati N, Girard N, Cohen S. Dilation of woven and knitted aortic prosthetic grafts: CT scan evaluation. 1994;8:238-242
 Al-Khaffaf H (see Kalra et al). 1994;8:225-231
 Allen BT (see Baumann et al). 1994;8:258-265
 Allen R (see Arnold et al). 1994;8:356-362
 Allen RC (see Lumsden et al). 1994;8:107-112
 Amrein C (see Julia et al). 1994;8:266-270
 Amrein C (see Julia et al). 1994;8:611-612 (Letter reply)
 Anderson CB (see Baumann et al). 1994;8:258-265
 Anidjar S, Dobrin PB, Cheifec G, Michel J-B. Experimental study of determinants of aneurysmal expansion of the abdominal aorta. 1994;8:127-136
 Archie JP Jr. Analysis and comparison of pressure gradients and ratios for predicting iliac stenosis. 1994;8:271-280
 Archie JP Jr. Femoropopliteal bypass with either adequate ipsilateral reversed saphenous vein or obligatory polytetrafluoroethylene. 1994;8:475-484
 Arnold TE, Stanley JC, Fellows EP, Moncada GA, Allen R, Hutchinson JJ,

- Swartz WM, Bolton LL, Vickers CFH, Kerstein MD. Prospective, multicenter study of managing lower extremity venous ulcers. 1994;8:356-362
 Aymard A (see Gouny et al). 1994;8:281-284

B

- Back M (see White et al). 1994;8:285-289
 Baker WH (see Horn et al). 1994;8:221-224
 Ballard RE (see Murthy et al). 1994;8:543-548
 Bandyk DF (see Taylor et al). 1994;8:92-98
 Barnes RW (see Vitti et al). 1994;8:99-106
 Baron J-F (see Godet et al). 1994;8:452-456
 Barone G (see Vitti et al). 1994;8:99-106
 Barone HD (see Parodi et al). 1994;8:523-529
 Barral X (see Favre et al). 1994;8:421-426
 Barré E (see Godet et al). 1994;8:452-456
 Barry R (see Browning et al). 1994;8:232-237
 Basson S (see Browning et al). 1994;8:232-237
 Bastug D (see AbuRahma et al). 1994;8:372-379
 Baumann DS, McGraw D, Rubin BG, Allen BT, Anderson CB, Sicard GA. An institutional experience with arterial atheroembolism. 1994;8:258-265
 Bayne SR, Donovan DL, Henthorne WA. A rare complication in elective repair of an abdominal aortic aneurysm: Multiple transmural colonic infarcts secondary to atheroemboli. 1994;8:290-295
 Becquemin J-P, Haiduc F, Cavillon A. Thrombogenicity of an elastomer-coated aortofemoral Dacron prosthetic graft in humans. 1994;8:443-451
 Beeman S (see Walsh et al). 1994;8:566-570
 Bell D (see Ali et al). 1994;8:595-598
 Bell T, Stevens SL, Freeman MB, Goldman MH. Jugular venous bypass for subclavian vein obstruction. 1994;8:390-393
 Bendick PJ (see Nazzal et al). 1994;8:166-171
 Bergan JJ (see Walsh et al). 1994;8:566-570
 Bernstein EF, Dilley RB, Thomas WS, Randolph HF, Knowles HJ, Saeed M. Chang-

- ing practice patterns in peripheral arterial disease. 1994;8:186-194
 Bertrand M (see Godet et al). 1994;8:452-456
 Besman A (see Lumsden et al). 1994;8:107-112
 Blanes I (see Lozano et al). 1994;8:591-594
 Boissier C (see Favre et al). 1994;8:421-426
 Boland JP (see AbuRahma et al). 1994;8:372-379
 Bolton LL (see Arnold et al). 1994;8:356-362
 Bove PG (see Nazzal et al). 1994;8:166-171
 Bower TC (see Cambria et al). 1994;8:121-126
 Bower TC (see Lowell et al). 1994;8:14-23
 Branchereau A (see Magnan et al). 1994;8:243-247
 Breit GA (see Murthy et al). 1994;8:543-548
 Bressman P (see Gradman et al). 1994;8:549-556
 Brockstein B, Johns L, Gewertz BL. Blood supply to the spinal cord: Anatomic and physiologic correlations. 1994;8:394-399
 Browning N, Barry R, Nel C, Basson S, Linde P. Late complications after aortic surgery. 1994;8:232-237
 Buchbinder D, Golueke PJ, Melick CF, Leand PM, Schneider RE, Ross LH, Reichman W, Richardson JB. Outcome of carotid endarterectomy performed at a community medical center. 1994;8:427-433

C

- Calabro A (see Deriu et al). 1994;8:337-342
 Calligaro KD, Podolsky R, Savarese RP, Doerr KJ, Dougherty MJ, DeLaurentis DA. Successful preservation of an infected common femoral vein to common femoral vein crossover prosthetic graft. 1994;8:380-382
 Calligaro KD, Veith FJ, Sales CM, Dougherty MJ, Savarese RP, DeLaurentis DA. Comparison of muscle flaps and delayed secondary intention wound healing for infected lower extremity arterial grafts. 1994;8:31-37
 Calon E (see Lucas et al). 1994;8:500-505

- Cambria RA, Gloviczki P, Stanson AW, Cherry KJ Jr, Hallett JW Jr, Bower TC, Fairbrother PC. Symptomatic, nonruptured abdominal aortic aneurysms: Are emergency operations necessary? 1994;8:121-126
- Campbell DR (see Hölzenbein et al). 1994;8:74-91
- Cardon A (see Lucas et al). 1994;8:500-505
- Carpentier A (see Julia et al). 1994;8:266-270
- Carpentier A (see Julia et al). 1994;8:611-612 (Letter reply)
- Carter AP (see Hashemi et al). 1994;8:367-371
- Cavillon A (see Becquemin et al). 1994;8:443-451
- Chaikof EL (see Coyle et al). 1994;8:417-420
- Chalmers RTA (see Hoballah et al). 1994;8:400-402
- Chang BB (see Holland et al). 1994;8:387-389
- Chang BB (see Paty et al). 1994;8:204-206
- Charlesworth D (see Kalra et al). 1994;8:225-231
- Cheifec G (see Anidjar et al). 1994;8:127-136
- Cherry KJ Jr (see Cambria et al). 1994;8:121-126
- Cherry KJ Jr (see de Virgilio et al). 1994;8:383-386
- Cherry KJ Jr (see Lowell et al). 1994;8:14-23
- Chervu A, Moore WS. Carotid endarterectomy without arteriography. 1994;8:296-302
- Chiche L (see Leschi et al). 1994;8:506-508
- Claeys L (see Horsch and Claeys). 1994;8:468-474
- Coggia M, Goeau-Brissonnière O, Leschi J-P, Filsofi F. Lateral approach to femoral bifurcation. 1994;8:604-608
- Coggia M (see Leschi et al). 1994;8:506-508
- Cognolato D (see Deriu et al). 1994;8:337-342
- Cohen JR (see Kahn et al). 1994;8:6-9
- Cohen S (see Alimi et al). 1994;8:238-242
- Colburn MD (see Law et al). 1994;8:66-73
- Colburn MD (see Law et al). 1994;8:158-165
- Comer TP (see Walsh et al). 1994;8:566-570
- Comerota AJ (see Hashemi et al). 1994;8:367-371
- Contreras MA (see Hölzenbein et al). 1994;8:74-91
- Coriat P (see Godet et al). 1994;8:452-456
- Corominas C (see Lozano et al). 1994;8:591-594
- Corson JD (see Hoballah et al). 1994;8:400-402
- Costes V (see Marty-Ané et al). 1994;8:434-442
- Coyle KA, Smith RB III, Salam AA, Dodson TF, Chaikof EL, Lumsden AB. Carotid endarterectomy in the octogenarian. 1994;8:417-420
- Criado E, Keagy BA. Use of the descending thoracic aorta as an inflow source in aortoiliac reconstruction: Indications and long-term results. 1994;8:38-47
- Criado E, Marston WA, Jaques PF, Mauro MA, Keagy BA. Proximal venous outflow obstruction in patients with upper extremity arteriovenous dialysis access. 1994;8:530-535
- Criado FJ (see Parodi et al). 1994;8:523-529
- D**
- Dalainas V (see Kiskinis et al). 1994;8:496-499
- Darling RC III (see Holland et al). 1994;8:387-389
- Darling RC III (see Paty et al). 1994;8:204-206
- Davies MG, Hagen P-O. Influence of perioperative storage solutions on long-term vein graft function and morphology. 1994;8:150-157
- Decaix B (see Gouny et al). 1994;8:281-284
- Defraigne JO, Pincemail J, Detry O, Franssen C, Meurisse M, Limet R. Preservation of cortical microcirculation after kidney ischemia-reperfusion: Value of an iron chelator. 1994;8:457-467
- de la Torre AG (see Lozano et al). 1994;8:591-594
- DeLaurentis DA (see Calligaro et al). 1994;8:31-37
- DeLaurentis DA (see Calligaro et al). 1994;8:380-382
- De Letter JAM, Moll FL, Welten RJT, Eikelboom BC, Ackerstaff RGA, Vermeulen FEE, Algra A. Benefits of carotid patching: A prospective randomized study with long-term follow-up. 1994;8:54-58
- de Mallorca P (see Lozano et al). 1994;8:591-594
- Deriu GP, Franceschi L, Milite D, Calabro A, Saia A, Grego F, Cognolato D, Frigatti P, Diana M. Carotid artery endarterectomy in patients with contralateral carotid artery occlusion: Perioperative hazards and late results. 1994;8:337-342
- Detry O (see Defraigne et al). 1994;8:457-467
- de Virgilio C, Cherry KJ Jr, Schaff HV. Multiple aneurysms and aortic dissection: An unusual manifestation of Marfan's syndrome. 1994;8:383-386
- Diana M (see Deriu et al). 1994;8:337-342
- Di Cesare E (see Spartera et al). 1994;8:536-542
- Dilley RB (see Bernstein et al). 1994;8:186-194
- Dobrin PB (see Anidjar et al). 1994;8:127-136
- Dobrin PB (see Veldenz et al). 1994;8:10-13
- Dodson TF (see Coyle et al). 1994;8:417-420
- Doerr KJ (see Calligaro et al). 1994;8:380-382
- Donayre C (see White et al). 1994;8:285-289
- Donovan DL (see Bayne et al). 1994;8:290-295
- Dossa CD, Pipinos II, Shepard AD, Ernst CB. Primary aortoenteric fistula: Part I. 1994;8:113-120
- Dossa CD, Pipinos II, Shepard AD, Ernst CB. Primary aortoenteric fistula: Part II. 1994;8:207-211
- Dougherty MJ (see Calligaro et al). 1994;8:31-37
- Dougherty MJ (see Calligaro et al). 1994;8:380-382
- Dovgan PS (see Edwards et al). 1994;8:350-355
- Drezner AD (see Garramone et al). 1994;8:363-366
- Durham JR, Horowitz JD, Wright JG, Smead WL. Percutaneous transluminal angioplasty of tibial arteries for limb salvage in the high-risk diabetic patient. 1994;8:48-53
- E**
- Edwards JD, Dovgan PS, Rowley JM, Thorpe PE, Adrian TE, Agrawal DK. Neuropeptide Y levels during ischemia and reperfusion in the canine infrarenal aortic revascularization model. 1994;8:350-355
- Edwards JM. Raynaud's syndrome. 1994;8:509-513
- Eidt JF (see Vitti et al). 1994;8:99-106
- Eikelboom BC (see De Letter et al). 1994;8:54-58
- Elliott JA (see Moote et al). 1994;8:325-331
- Endean ED (see Veldenz et al). 1994;8:10-13
- Erdoes LS, Hunter GC. Peripheral vascular involvement in heart transplant patients. 1994;8:611 (Letter)
- Ernst CB (see Dossa et al). 1994;8:113-120
- Ernst CB (see Dossa et al). 1994;8:207-211
- F**
- Fabiani J-N (see Julia et al). 1994;8:266-270
- Fabiani J-N (see Julia et al). 1994;8:611-612 (Letter reply)
- Fairman RM (see Long et al). 1994;8:195-197
- Farrell A (see Kalra et al). 1994;8:225-231
- Faust GR (see Kahn et al). 1994;8:6-9
- Favre J-P, Guy J-M, Frereng V, Boissier C, Barral X. Carotid surgery in the octogenarian. 1994;8:421-426
- Feinglass J, McDermott MM, Foroohar M, Pearce WH. Gender differences in interventional management of peripheral vascular disease: Evidence from a blood flow laboratory population. 1994;8:343-349
- Fellows EP (see Arnold et al). 1994;8:356-362
- Filsofi F (see Coggia et al). 1994;8:604-608
- Fisher FS (see Riles et al). 1994;8:144-149

- Fléron M-H (see Godet et al). 1994;8:452-456
 Flores D (see Lozano et al). 1994;8:591-594
 Foley JB (see Moote et al). 1994;8:325-331
 Foroohar M (see Feinglass et al). 1994;8:343-349
 Franceschi L (see Deriu et al). 1994;8:337-342
 Franssen C (see Defraigne et al). 1994;8:457-467
 Freeman DV (see Hölzenbein et al). 1994;8:74-91
 Freeman MB (see Bell et al). 1994;8:390-393
 Freischlag JA (see Jacobs et al). 1994;8:491-495
 Frering V (see Favre et al). 1994;8:421-426
 Frigatti P (see Deriu et al). 1994;8:337-342
 Fujitani RM (see Taylor et al). 1994;8:92-98
 Fukui S (see Gouny et al). 1994;8:281-284

G

- Gallagher JJ Jr (see Garramone et al). 1994;8:363-366
 Gandhi RH (see Parent et al). 1994;8:24-30
 Garramone RR Jr, Gallagher JJ Jr, Drezner AD. Intra-arterial thrombolytic therapy in the initial management of thrombosed popliteal artery aneurysms. 1994;8:363-366
 Gayle RG (see Parent et al). 1994;8:24-30
 Gefke K, Schroeder TV, Thisted B, Olsen PS, Perko MJ, Agerskov K, Røder O, Lorentzen JE. Abdominal aortic aneurysm surgery: Survival and quality of life in patients requiring prolonged postoperative intensive therapy. 1994;8:137-143
 Gelabert HA (see Law et al). 1994;8:66-73
 Gelabert HA (see Law et al). 1994;8:158-165
 George SM Jr, Klamer TW, Lambert GE Jr. Value of continued efforts at limb salvage despite multiple graft failures. 1994;8:332-336
 Gewertz BL (see Brockstein et al). 1994;8:394-399
 Ghalayini B (see Julia et al). 1994;8:266-270
 Ghalayini B (see Julia et al). 1994;8:611-612 (Letter reply)
 Giangola G (see Riles et al). 1994;8:144-149
 Gibbons GW (see Hölzenbein et al). 1994;8:74-91
 Gibstein L (see Riles et al). 1994;8:144-149
 Girard N (see Alimi et al). 1994;8:238-242
 Gitis C (see Kiskinis et al). 1994;8:496-499
 Glover JL (see Nazzal et al). 1994;8:166-171
 Glowiczki P (see Cambria et al). 1994;8:121-126
 Glowiczki P (see Lowell et al). 1994;8:14-23
 Godet G, Bertrand M, Samama C-M, Barré E, Fléron M-H, Baron J-F, Coriat P, Kieffer E, Viars P. Aprotinin to decrease bleeding and intraoperative blood transfusion requirements during descending thoracic and thoracoabdominal aortic aneurysmectomy using cardiopulmonary bypass. 1994;8:452-456
 Goëau-Brissonnière O (see Coggia et al). 1994;8:604-608
 Goëau-Brissonnière O (see Leschi et al). 1994;8:506-508
 Goh K (see Sasajima et al). 1994;8:248-257
 Goldman MH (see Bell et al). 1994;8:390-393
 Golueke PJ (see Buchbinder et al). 1994;8:427-433
 Gordon IL, Weil DJ, Williams RA, Wilson SE. Intraoperative measurement of Javid shunt flow with transit-time ultrasound. 1994;8:571-577
 Gosling P (see Smith et al). 1994;8:1-5
 Gouny P, Fukui S, Aymard A, Decaix B, Mory H, Merland J-J, Nussaume O. Aneurysm of the gastroduodenal artery associated with stenosis of the superior mesenteric artery. 1994;8:281-284
 Gradman WS, Bressman P, Sernaque JD. Subclavian vein repair in patients with an ipsilateral arteriovenous fistula. 1994;8:549-556
 Graham C (see Ali et al). 1994;8:595-598
 Green MA (see Smith et al). 1994;8:1-5
 Grego F (see Deriu et al). 1994;8:337-342
 Gregory RT (see Parent et al). 1994;8:24-30
 Greisler HP (see Horn et al). 1994;8:221-224
 Guis B (see Lucas et al). 1994;8:500-505
 Guillemain R (see Julia et al). 1994;8:266-270
 Guillemain R (see Julia et al). 1994;8:611-612 (Letter reply)
 Guy J-M (see Favre et al). 1994;8:421-426

H

- Hagen P-O (see Davies and Hagen). 1994;8:150-157
 Haiduc F (see Becquemin et al). 1994;8:443-451
 Hajjar GE (see Law et al). 1994;8:158-165
 Hallett JW Jr (see Cambria et al). 1994;8:121-126
 Hallett JW Jr (see Lowell et al). 1994;8:14-23
 Hargens AR (see Murthy et al). 1994;8:543-548
 Harris JA (see Nazzal et al). 1994;8:166-171
 Harris KA (see Moote et al). 1994;8:325-331
 Hashemi HA, Katz ML, Carter AP, Kerr RP, Comerota AJ. The piezoelectric pulse sensor device: A prospective evaluation. 1994;8:367-371
 Hatzibaloglou A (see Kiskinis et al). 1994;8:496-499
 Hauer-Jensen M (see Vitti et al). 1994;8:99-106
 Henthorne WA (see Bayne et al). 1994;8:290-295
 Hilborn MD (see Moote et al). 1994;8:325-331
 Hoballah JJ, Chalmers RTA, Sharp WJ, Corson JD. Composite vein bypass: A

- simple technique for venovenous anastomosis. 1994;8:400-402
 Holland FW, Darling RC III, Chang BB, Shah DM, Leather RP. Clostridial aortic graft infection. 1994;8:387-389
 Hölzenbein TJ, Miller A, Tannenbaum GA, Contreras MA, Lavin PT, Gibbons GW, Campbell DR, Freeman DV, Pomposelli FB, LoGerfo FW. Role of angiography in reoperation for the failing or failed infrainguinal vein bypass graft. 1994;8:74-91
 Horn M, Michelini M, Greisler HP, Littooy FN, Baker WH. Carotid endarterectomy without arteriography: The preeminent role of the vascular laboratory. 1994;8:221-224
 Horowitz JD (see Durham et al). 1994;8:48-53
 Horsch S, Claeys L. Epidural spinal cord stimulation in the treatment of severe peripheral arterial occlusive disease. 1994;8:468-474
 Humphrey PW, Nichols WK, Silver D. Rural vascular trauma: A twenty-year review. 1994;8:179-185
 Hunter GC (see Erdoes and Hunter). 1994;8:611 (Letter)
 Hutchinson JJ (see Arnold et al). 1994;8:356-362
 Hyde GL (see Veldenz et al). 1994;8:10-13
 Hye RJ, Wolf YG. Ischemic monomelic neuropathy: An under-recognized complication of hemodialysis access. 1994;8:578-582

I

- Inaba M (see Sasajima et al). 1994;8:248-257
 Izumi Y (see Sasajima et al). 1994;8:248-257

J

- Jacobs DL, Freischlag JA, Seabrook GR, Towne JB. Acute aortic dissection into a preexisting abdominal aortic aneurysm. 1994;8:491-495
 Jaffe M (see Lumsden et al). 1994;8:107-112
 Jaques PF (see Criado et al). 1994;8:530-535
 Jebara V (see Julia et al). 1994;8:266-270
 Jebara V (see Julia et al). 1994;8:611-612 (Letter reply)
 Johns L (see Brockstein et al). 1994;8:394-399
 Juhan C (see Alimi et al). 1994;8:238-242
 Julia J (see Lozano et al). 1994;8:591-594
 Julia P, Amrein C, Ghalayini B, Jebara V, Guillemain R, Roussin I, Carpentier A, Fabiani J-N. Peripheral vascular involvement in heart transplant patients. 1994;8:611-612 (Letter reply)
 Julia P, Amrein C, Ghalayini B, Jebara V, Guillemain R, Roussin I, Carpentier A, Fabiani J-N. Peripheral vascular involve-

- ment in heart transplant patients. 1994; 8:266-270
- K**
- Kahn HA, Faust GR, Richard R, Tedesco R, Cohen JR. Hypothermia and bleeding during abdominal aortic aneurysm repair. 1994;8:6-9
- Kahn MB (see Long et al). 1994;8:195-197
- Kalra M, Al-Khaffaf H, Farrell A, Wallbank WA, Charlesworth D. Comparison of measurement of stump pressure and transcranial measurement of flow velocity in the middle cerebral artery in carotid surgery. 1994;8:225-231
- Katz ML (see Hashemi et al). 1994;8:367-371
- Keagy BA (see Criado and Keagy). 1994;8:38-47
- Keagy BA (see Criado et al). 1994;8:530-535
- Kerdiles Y (see Lucas et al). 1994;8:500-505
- Kerr RP (see Hashemi et al). 1994;8:367-371
- Kerstein MD (see Arnold et al). 1994;8:356-362
- Kieffer E (see Godet et al). 1994;8:452-456
- Kiskinis DA, Saratzis N, Megalopoulos A, Hatzibaloglou A, Gitis C, Dalainas V. Primary aortocaval fistula in association with ruptured aneurysms. 1994;8:496-499
- Klamer TW (see George et al). 1994;8:332-336
- Knight D (see Lieberman et al). 1994;8:198-203
- Knowles HJ (see Bernstein et al). 1994;8:186-194
- Kopchok G (see White et al). 1994;8:285-289
- Krupski WC. Regression of atherosclerosis. 1994;8:303-317
- Kubo Y (see Sasajima et al). 1994;8:248-257
- Kwasnik E (see Lieberman et al). 1994;8:198-203
- L**
- La Barbera G (see Spartera et al). 1994;8:536-542
- Laborde J-C (see Marty-Ané et al). 1994;8:434-442
- Lambert GE Jr (see George et al). 1994;8:332-336
- Lamparello PJ (see Riles et al). 1994;8:144-149
- Lavin PT (see Hölzenbein et al). 1994;8:74-91
- Law MM, Colburn MD, Hajjar GE, Gelabert HA, Quiñones-Baldrich WJ, Moore WS. Suppression of intimal hyperplasia in a rabbit model of arterial balloon injury by enalaprilat but no dimethyl sulfoxide. 1994;8:158-165
- Law MM, Gelabert HA, Colburn MD, Quiñones-Baldrich WJ, Ahn SS, Moore WS. Continuous postoperative intra-arterial urokinase infusion in the treatment of no reflow following revascularization of the acutely ischemic limb. 1994;8:66-73
- Leand PM (see Buchbinder et al). 1994;8:427-433
- Leather RP (see Holland et al). 1994;8:387-389
- Leather RP (see Paty et al). 1994;8:204-206
- Lee HM (see Tarry et al). 1994;8:583-590
- Leschi J-P, Goëau-Brissonnière O, Coggia M, Chiche L. Heparin-related thrombocytopenia and adrenal hemorrhagic necrosis following aortic surgery. 1994;8:506-508
- Leschi J-P (see Coggia et al). 1994;8:604-608
- Lieberman J, Mazzucco J, Kwasnik E, Loyer R, Knight D. Popliteal pseudoaneurysm as a complication of an adjacent osteochondroma. 1994;8:198-203
- Limet R (see Defraigne et al). 1994;8:457-467
- Linde P (see Browning et al). 1994;8:232-237
- Line PD (see Wahlberg et al). 1994;8:172-178
- Littooy FN (see Horn et al). 1994;8:221-224
- LoGerfo FW (see Hölzenbein et al). 1994;8:74-91
- Long CD, Santora TA, Fairman RM, Roberts AB, Kahn MB. Stationary arterial wave phenomena. 1994;8:195-197
- Lorentzen JE (see Gefke et al). 1994;8:137-143
- Lowell RC, Gloviczki P, Hallett JW Jr, Naesens JM, Maus TP, Cherry KJ Jr, Bower TC, Pairolero PC. Popliteal artery aneurysms: The risk of nonoperative management. 1994;8:14-23
- Loyer R (see Lieberman et al). 1994;8:198-203
- Lozano P, Flores D, Blanes I, Rimbau E, Corominas C, Julia J, de la Torre AG, de Mallorca P. Acute lower limb ischemia complicating endocarditis due to *Candida parapsilosis* in a drug abuser. 1994;8:591-594
- Lucas A, Kerdiles Y, Guías B, Cardon A, Calon E. Iliac aneurysm in a child complicating umbilical artery catheterization. 1994;8:500-505
- Lumsden AB, Besman A, Jaffe M, MacDonald MJ, Allen RC. Infrainguinal revascularization in end-stage renal disease. 1994;8:107-112
- Lumsden AB (see Coyle et al). 1994;8:417-420
- M**
- MacDonald AC (see Moote et al). 1994;8:325-331
- MacDonald MJ (see Lumsden et al). 1994;8:107-112
- Magnan P-E, Seyral P, Raoult D, Branchereau A. In vitro antistaphylococcal activity of collagen-sealed Dacron vascular prostheses bonded with rifampin, vancomycin, or amikacin. 1994;8:243-247
- Makhoul RG (see Tarry et al). 1994;8:583-590
- Marston WA (see Criado et al). 1994;8:530-535
- Marty-Ané C, Serres-Cousiné O, Laborde J-C, Costes V, Alauzen M, Mary H. Use of endovascular stents for acute aortic dissection: An experimental study. 1994;8:434-442
- Mary H (see Marty-Ané et al). 1994;8:434-442
- Masser PA (see Moneta and Masser). 1994;8:403-408
- Masuda EM (see Parent et al). 1994;8:24-30
- Mauro MA (see Criado et al). 1994;8:530-535
- Maus TP (see Lowell et al). 1994;8:14-23
- Mazzucco J (see Lieberman et al). 1994;8:198-203
- McAlhany JC (see Taylor et al). 1994;8:92-98
- McDermott MM (see Feinglass et al). 1994;8:343-349
- McGraw D (see Baumann et al). 1994;8:258-265
- Megalopoulos A (see Kiskinis et al). 1994;8:496-499
- Melick CF (see Buchbinder et al). 1994;8:427-433
- Merland J-J (see Gouny et al). 1994;8:281-284
- Meurisse M (see Defraigne et al). 1994;8:457-467
- Michel J-B (see Anidjar et al). 1994;8:127-136
- Michellini M (see Horn et al). 1994;8:221-224
- Milite D (see Deriu et al). 1994;8:337-342
- Müller A (see Hölzenbein et al). 1994;8:74-91
- Mills JL (see Taylor et al). 1994;8:92-98
- Mintzer R (see Riles et al). 1994;8:144-149
- Moll FL (see De Letter et al). 1994;8:54-58
- Moncada GA (see Arnold et al). 1994;8:356-362
- Moneta GL, Masser PA. Randomized, multicenter trials of carotid endarterectomy. 1994;8:403-408
- Moore WS (see Chervu and Moore). 1994;8:296-302
- Moore WS (see Law et al). 1994;8:66-73
- Moore WS (see Law et al). 1994;8:158-165
- Moote DJ, Hilborn MD, Harris KA, Elliott JA, MacDonald AC, Foley JB. Postarteriographic femoral pseudoaneurysms: Treatment with ultrasound-guided compression. 1994;8:325-331
- Morati N (see Alimi et al). 1994;8:238-242
- Moreau P, Albat B, Thévenet A. Surgical treatment of extracranial internal carotid artery aneurysm. 1994;8:409-416
- Moretini G (see Spartera et al). 1994;8:536-542

Mory H (see Gouny et al). 1994;8:281-284
Murthy G, Ballard RE, Breit GA, Watenpugh DE, Hargens AR. Intramuscular pressures beneath elastic and inelastic leggings. 1994;8:543-548

N

Naessens JM (see Lowell et al). 1994;8:14-23
Nazzari M, Bove PG, Harris JA, Bendick PJ, Glover JL. Hemodynamic sequelae of combined arteriovenous injury in an experimental canine hindlimb model: Venous ligation vs. repair. 1994;8:166-171
Nel C (see Browning et al). 1994;8:232-237
Nichols WK (see Humphrey et al). 1994;8:179-185
Nussaume O (see Gouny et al). 1994;8:281-284

O

Olofsson P (see Wahlberg et al). 1994;8:172-178
Olsen PS (see Gefke et al). 1994;8:137-143
Ouriel K (see Shortell and Ouriel). 1994;8:59-65

P

Pairolero PC (see Cambria et al). 1994;8:121-126
Pairolero PC (see Lowell et al). 1994;8:14-23
Parent FN III, Gandhi RH, Wheeler JR, Gregory RT, Snyder SO, Gayle RG, Masuda EM. Angioscopic evaluation of valvular disruption during in situ saphenous vein bypass. 1994;8:24-30
Parodi LA, Criado FJ, Barone HD, Schönholz C, Queral LA. Endoluminal aortic aneurysm repair using a balloon-expandable stent-graft device: A progress report. 1994;8:523-529
Paterson IS (see Smith et al). 1994;8:1-5
Paty PKS, Shah DM, Chang BB, Darling RC III, Leather RP. Pelvic ischemia following aortoiliac reconstruction. 1994;8:204-206
Pearce WH (see Feinglass et al). 1994;8:343-349
Perko MJ (see Gefke et al). 1994;8:137-143
Petrassi C (see Spartera et al). 1994;8:536-542
Pilcher DB (see Veldenz et al). 1994;8:10-13
Pincemail J (see Defraigne et al). 1994;8:457-467
Pipinos II (see Dossa et al). 1994;8:113-120
Pipinos II (see Dossa et al). 1994;8:207-211
Podolsky R (see Calligaro et al). 1994;8:380-382
Pomposelli FB (see Hölzenbein et al). 1994;8:74-91
Posner MP (see Tarry et al). 1994;8:583-590
Powell M (see AbuRahma et al). 1994;8:372-379

Q

Queral LA (see Parodi et al). 1994;8:523-529
Quiñones-Baldrich WJ (see Law et al). 1994;8:66-73
Quiñones-Baldrich WJ (see Law et al). 1994;8:158-165

R

Randolph HF (see Bernstein et al). 1994;8:186-194
Ranval TJ (see Vitti et al). 1994;8:99-106
Raoult D (see Magnan et al). 1994;8:243-247
Reichman W (see Buchbinder et al). 1994;8:427-433
Reilly JM, Sicard GA. Right retroperitoneal approach to the aorta and its branches: Part II. 1994;8:318-323
Reilly JM (see Sicard and Reilly). 1994;8:212-219
Richard R (see Kahn et al). 1994;8:6-9
Richardson JB (see Buchbinder et al). 1994;8:427-433
Riles TS, Fisher FS, Lamparello PJ, Giannola G, Gibstein L, Mintzer R, Su WT. Immediate and long-term results of carotid endarterectomy for asymptomatic high-grade stenosis. 1994;8:144-149
Rimbau E (see Lozano et al). 1994;8:591-594
Roberts AB (see Long et al). 1994;8:195-197
Robinson DV (see Vitti et al). 1994;8:99-106
Robinson PA (see AbuRahma et al). 1994;8:372-379
Røder O (see Gefke et al). 1994;8:137-143
Ross LH (see Buchbinder et al). 1994;8:427-433
Roussin I (see Julia et al). 1994;8:266-270
Roussin I (see Julia et al). 1994;8:611-612 (Letter reply)
Rowley JM (see Edwards et al). 1994;8:350-355
Rubin BG (see Baumann et al). 1994;8:258-265

S

Saeed M (see Bernstein et al). 1994;8:186-194
Saia A (see Deriu et al). 1994;8:337-342
Salam AA (see Coyle et al). 1994;8:417-420
Sales CM (see Calligaro et al). 1994;8:31-37
Samama C-M (see Godet et al). 1994;8:452-456
Sanalla B (see Ali et al). 1994;8:595-598
Sanghera K (see Smith et al). 1994;8:1-5
Santora TA (see Long et al). 1994;8:195-197
Saratzis N (see Kiskinis et al). 1994;8:496-499
Sasajima T, Kubo Y, Izumi Y, Inaba M, Goh K. Plantar or dorsalis pedis artery bypass in Buerger's disease. 1994;8:248-257
Savarese RP (see Calligaro et al). 1994;8:31-37

Savarese RP (see Calligaro et al). 1994;8:380-382
Schaff HV (see de Virgilio et al). 1994;8:383-386
Schneider RE (see Buchbinder et al). 1994;8:427-433
Schönholz C (see Parodi et al). 1994;8:523-529
Schroeder TV (see Gefke et al). 1994;8:137-143
Schwartz TH (see Veldenz et al). 1994;8:10-13
Scoccianti M (see White et al). 1994;8:285-289
Seabrook GR (see Jacobs et al). 1994;8:491-495
Sernaque JD (see Gradman et al). 1994;8:549-556
Serres-Cousiné O (see Marty-Ané et al). 1994;8:434-442
Seyral P (see Magnan et al). 1994;8:243-247
Shah DM (see Holland et al). 1994;8:387-389
Shah DM (see Paty et al). 1994;8:204-206
Sharp WJ (see Hoballah et al). 1994;8:400-402
Shearman CP (see Smith et al). 1994;8:1-5
Shepard AD (see Dossa et al). 1994;8:113-120
Shepard AD (see Dossa et al). 1994;8:207-211
Shortell CK, Ouriel K. Thrombolysis in acute peripheral arterial occlusion: Predictors of immediate success. 1994;8:59-65
Sicard GA, Reilly JM. Left retroperitoneal approach to the aorta and its branches: Part I. 1994;8:212-219
Sicard GA (see Baumann et al). 1994;8:258-265
Sicard GA (see Reilly and Sicard). 1994;8:318-323
Siegel AE (see Wagner et al). 1994;8:557-565
Silver D (see Humphrey et al). 1994;8:179-185
Smead WL (see Durham et al). 1994;8:48-53
Smith FCT, Gosling P, Sanghera K, Green MA, Paterson IS, Shearman CP. Microproteinuria predicts the severity of systemic effects of reperfusion injury following infrarenal aortic aneurysm surgery. 1994;8:1-5
Smith RB III (see Coyle et al). 1994;8:417-420
Snyder SO (see Parent et al). 1994;8:24-30
Sobel M (see Tarry et al). 1994;8:583-590
Spartera C, Morettini G, Petrassi C, Di Cesare E, La Barbera G, Ventura M. Healing of aortic prosthetic grafts: A study by magnetic resonance imaging. 1994;8:536-542
Stain SC (see Wagner et al). 1994;8:557-565

Stanley JC (see Arnold et al). 1994;8:356-362

Stanson AW (see Cambria et al). 1994;8:121-126

Stevens SL (see Bell et al). 1994;8:390-393

Su WT (see Riles et al). 1994;8:144-149

Swartz WM (see Arnold et al). 1994;8:356-362

Swedenborg J (see Wahlberg et al). 1994;8:172-178

T

Tannenbaum GA (see Hölzenbein et al). 1994;8:74-91

Tarantini S, Tchekanov G. Acute dissection of the aorta in a kidney transplant patient. 1994;8:485-490

Tarry WC, Makhoul RG, Tisnado J, Posner MP, Sobel M, Lee HM. Catheter-directed thrombolysis following vena cava filtration for severe deep venous thrombosis. 1994;8:583-590

Taylor SM, Mills JL, Fujitani RM, McAlhany JC, Bandyk DF. Does arterial inflow failure cause distal vein graft thrombosis? A prospective analysis of 450 infrainguinal vascular reconstructions. 1994;8:92-98

Tchekanov G (see Tarantini and Tchekanov). 1994;8:485-490

Tedesco R (see Kahn et al). 1994;8:6-9

Thévenet A (see Moreau et al). 1994;8:409-416

Thisted B (see Gefke et al). 1994;8:137-143

Thomas WS (see Bernstein et al). 1994;8:186-194

Thompson BW (see Vitti et al). 1994;8:99-106

Thorpe PE (see Edwards et al). 1994;8:350-355

Tisnado J (see Tarry et al). 1994;8:583-590

Towne JB (see Jacobs et al). 1994;8:491-495

V

Veith FJ. Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part I. 1994;8:514-522

Veith FJ. Alternative approaches to the deep femoral, popliteal, and infrapopliteal arteries in the leg and foot: Part II. 1994;8:599-603

Veith FJ (see Calligaro et al). 1994;8:31-37

Veldenz HC, Schwarcz TH, Endean ED, Pilcher DB, Dobrin PB, Hyde GL. Morphology predicts rapid growth of small abdominal aortic aneurysms. 1994;8:10-13

Ventura M (see Spartera et al). 1994;8:536-542

Vermeulen FEE (see De Letter et al). 1994;8:54-58

Viars P (see Godet et al). 1994;8:452-456

Vickers CFH (see Arnold et al). 1994;8:356-362

Vitti MJ, Robinson DV, Hauer-Jensen M, Thompson BW, Ranval TJ, Barone G, Barnes RW, Eidt JF. Wound healing in forefoot amputations: The predictive value of toe pressure. 1994;8:99-106

W

Wagner WH, Yellin AE, Weaver FA, Stain SC, Siegel AE. Acute treatment of penetrating popliteal artery trauma: The importance of soft tissue injury. 1994;8:557-565

Wahlberg E, Line PD, Olofsson P, Swedenborg J. Infusion methods for determination of peripheral resistance: Influence of infused medium and back pressure. 1994;8:172-178

Wallbank WA (see Kalra et al). 1994;8:225-231

Walsh JC, Bergan JJ, Beeman S, Comer TP. Femoral venous reflux abolished by greater saphenous vein stripping. 1994;8:566-570

Watenpaugh DE (see Murthy et al). 1994;8:543-548

Weaver FA (see Wagner et al). 1994;8:557-565

Weil DJ (see Gordon et al). 1994;8:571-577

Welten RJT (see De Letter et al). 1994;8:54-58

Wheeler JR (see Parent et al). 1994;8:24-30

White RA, Scoccianti M, Back M, Kopchok G, Donayre C. Innovations in vascular imaging: Arteriography, three-dimensional CT scans, and two- and three-dimensional intravascular ultrasound evaluation of an abdominal aortic aneurysm. 1994;8:285-289

Williams RA (see Gordon et al). 1994;8:571-577

Wilson SE (see Gordon et al). 1994;8:571-577

Wolf YG (see Hye and Wolf). 1994;8:578-582

Wright JG (see Durham et al). 1994;8:48-53

Y

Yellin AE (see Wagner et al). 1994;8:557-565

